
Each

Dart Aerospace Ltd. Thursday, 2/9/2006 1:45:03 PM Date Kim Johnston User: **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : 350/212/130 BASKET LID Customer Job Number : 25760B : 10193 **Estimate Number** : NA Part Number : D2512 P.O. Number : 2/9/2006 S.O. No. : N/A **Drawing Number** : D2512 REV D1 This Issue : NC : N/A Project Number Prsht Rev. : N/A : LARGE FAB ASSY : D1 Type **Drawing Revision** First Issue :NIA : 25758B Material Previous Run **Due Date** : 3/20/2006 Qtv: 1 Um: Written By SER MOMMENT BELOW. Checked & Approved By : Rev Est:M 03(01.31 Added D2012-117 for D130-701-041 KJ/ Comment **Additional Product** Job Number: Machine Or Operation: Description: Seq. #: 1.0 M304TS0750W065 304 SQ Tube.75x.75x.065W Comment: Qty.: 45.7594 f(s)/Unit Total: 45.7594 f(s) Pick: M100138-> 91,89" 3/4"x3/4" 304/316 SS tube .063" wall Batch: M100282 -> 426.88" Basket Hoop 2.0 D31663 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: **Qty Part Number** Description Batch D06/03/09 3<u>25</u>896 1 D3166-3 **Basket Hoop** D2506 Placard 3.0 1.0000 Each(s)/Unit Total: Comment: Qty.: 1.0000 Each(s) Pick: **Qty Part Number** Description Batch



4.0 D23271 Spacer Bushing

B24875



 (\bigcirc)

Comment: Qty.:

2.0000 Each(s)/Unit Total:

Label Plate

2.0000 Each(s)

Pick:

1 D2506

Qty Part Number 2 D2327-1

Description Bushing

Batch B24873



1106/03/09

| Dart Aerospace Ltd |
|---------------------------|
|---------------------------|

| W/O: | | WORK ORDER CH | IANGES | | | | |
|---------|------|------------------------|---------------|-----------|-----|-------------------------------------|------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approva QC Inspecto |
| | | | | | | - - | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Part No | : | PAR #: Fault Category: | NCR: Yes | No DQ | A: | _ Date: _ | |
| | | | QA: | N/C Close | d: | _ Date: _ | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|--|----------------------|------------------------------|----------------|------------------------|-----------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | | | | Annessal | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | Approval Chief Eng | Approval QC Inspector | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | ************************************** | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | · | | | | | | | |
| | | | | | | | | | | |

Thursday, 2/9/2006 1:45:04 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 25760B Part Number: D2512 Job Number: Seq. #: **Machine Or Operation: Description:** Hinge D22321 5.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 2 D2232-1 Hinge plate D2581 6.0 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 2 D2581 Mounting Bracket 7.0 M304EX07516F Expanded Metal Flat Stai Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: 06/03/14 **Qty Part Number** Description Batch M304EX0.75-16F Expanded Metal Mioo23つ LARGE FAB 1 LARGE FABRICATION RESOURCE 1 8.0 Comment: LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 4-D2012-117 is included in 03172-041 EC130 Baskel Base BOM. EØ1,30 Basket only 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required

| W/O: | | WORK ORDER CHANGES | | | | | | | |
|------|------|--------------------|---------|------|-----|-------------------------------|--------------------------|--|--|
| DATE | STEP | PROCEDURE CH | ANGE By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| , | | | · | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Part No: _ | PAR #: | Fault Category: | NCR: Yes No DQA | Date: <u>06/03/2</u> 3 |
|------------|--------|-----------------|-----------------|------------------------|
| | | | QA: N/C Closed: | Date: |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|----------------------|------------------------------|----------------|------------------------|---------------------------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | | Verification Section C | Approval Chief Eng | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | Approval QC Inspector | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| • | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | · · · · · · · · · · · · · · · · · · · | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | • | 1 | | | | | |

Thursday, 2/9/2006 1:45:04 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 25760B Part Number: D2512 Job Number: Seq. #: Description: **Machine Or Operation:** DDIMENSIONAL & WELDING INSPECTION 9.0 QC9/6 Comment: DDIMENSIONAL & WELDING INSPECTION 06-0314 10.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 HAND FINISHING RESOURCE #1 HAND FINISHING1 11.0 Comment: HAND FINISHING RESOURCE #1 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 Batch: M100037 INSPECT POWDER COAT/CHEMICAL CONVERSION 12.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION Leukl at inspection (15 Job Completion

| Dart Ac | erospace | Ltd |
|---------|----------|-----|
|---------|----------|-----|

| W/O: | | <u> </u> | WORK OR | DER CHANG | GES | | - | | |
|---------|----------|------------|--------------------|-----------|------------|----------|-----|-------------------------------------|------------------------|
| DATE | STEP | | PROCEDURE CHANGE | | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approva QC Inspecto |
| | | | , | 77 | | | | | |
| | | | | | | | | | |
| | | A. P. P. L | | | | | | | |
| | | | | · | | | | | |
| Part No | <u> </u> | PAR | #: Fault Category: | | NCR: Yes | No DO | Δ. | Date: | l |
| · aiti | | / AN | " radit dategory | | | | | _ Date: _ _ Date: _ | |
| | | | WORK OPPED NON | ACMEORIA | ANIOE (NIO | <u> </u> | | | |

| NCR: | | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|------------------------|----------------------------------|------------------------------|----------------|--------------|-----------------------|--------------------------|--|--|--|
| | | STED Description of NC | | Corrective Action Section B | | Verification | Approval Chief Eng | | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | | Approval QC Inspector | | | |
| | | | | | | : | | | | | |
| | | | | | | ; | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | , | | | | | | | | | |
| | | | | • | | | | | | | |
| | | | | | | | | | | | |






| | | | and the second second | |
|---|--------|------------|-----------------------|--|
| | DESIGN | BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
| 1 | CHECK | ED / | APPROVED | DRAWING NO. REV. D. |
| | 01,20 | 4 | A C | D2512 SHEET 1 OF 4 |
| | DATE | <u> 44</u> | | TITLE SCALE |
| | 01.0 | 4.19 | | BASKET LID ASSEMBLY (350/212) NTS |
| | Α | | 95.11.21 | NEW ISSUE |
| | В | | 96.05.24 | ADDED LATCH CHANNEL & LABEL PLATE |
| | С | | 99.07.06 | REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP. DEO 9074 |

RELEASE DO 101.04.27 F

| ı | DATE | | TITLE |
|---|------|---------------|--|
| | 01.0 |)4.19 | BASKET LID ASSEMBLY (350/212) NTS |
| 1 | Α | 95.11.21 | NEW ISSUE |
| | В | 96.05.24 | ADDED LATCH CHANNEL & LABEL PLATE |
| | С | 99.07.06 | REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP. DEO 9074 |
| | D | 01.04.19 | CHANGE HINGE |
| | DI | d (1 03.01.20 | ADD 02012-117 FOR 0130-701-041 |
| | 02 | Jef 04,09.20 | TACK WELD ANT-SKID AREA |
| | | | LID ACCENDIA |

PARTS LIST FOR D2512 BASKET LID ASSEMBLY

| PART NO | QUANTITY | LENGTH | LENGTH | DESCRIPTION |
|---------|----------|--------|--------|---------------|
| | | Α | В | |
| D2512-1 | 2 | | 25.50 | RIB |
| D2512-3 | 2 | | 95.30 | RIB |
| D2512-5 | 6 | 30.84 | | RIB |
| D2512-7 | 3 | 30.63 | | RIB |
| D2232-1 | 2 | N/A | N/A | HINGE PLATE |
| D2236 | 4 | N/A | N/A | RIB |
| D2327-1 | 2 | N/A | N/A | BUSHING |
| D2506 | 1 | N/A | N/A | LABEL PLATE |
| D2581 | 2 | N/A | N/A | MOUNTING BRKT |



SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER


D2512-1/-3/-5/-7

NO. 25760D CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES


Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| | • | | | | | | | | | | | |
|-----------|------|--------------------|-----------------------------|-------------------------------|---------|------------|--------------|-----------|-------------------------------------|--------------------------|--|--|
| W/O: | | WORK ORDER CHANGES | | | | | | | | | | |
| DATE STEP | | PROCEDURE CHANGE | | | | С | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Part No: | | PAR #: | Fault Categ | Category: NCR: Yes No DQA: Da | | | | _ Date: _ | | | | |
| | | | | | QA | : N/C | Closed | l: | _ Date: _ | ···· | | |
| NCR: | | | NORK ORDE | R NON-CONFORM | ANCE (N | CR) | | | | ¢. | | |
| DATE | STEP | Description of NC | Corrective Action Section B | | | | Verification | | Approval | Approval | | |
| | SIEF | Section A | Initial Chief Eng | Action Description Chief Eng | | n & ate | Section | on C | Chief Eng | QC Inspector | | |
| | | | | | | | | | | | | |
| | | | | | | | | İ | | | | |
| | | | | | | | | | | • | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |




| - u | . oopaoo | | | | | | | | | | |
|----------|----------|--------------------------------|-----------------------|------------------------------|-------|----------------|-------------------------------------|--------------------------|-----------|--------------|--|
| W/O: | | WORK ORDER CHANGES | | | | | | | | | |
| DATE | STEP | PRO | | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | · · · | | | | |
| | | | | | | | | | | | |
| Part No: | | PAR #: | Fault Cateç | gory: | _ NCF | | | | | | |
| | | | | | | QA: N | C Close | d: | _ Date: _ | | |
| NCR: | | \ | NORK ORDE | R NON-CONFORMA | ANCE | (NCR |) | | | | |
| DATE | OTED | Description of NC Section A | Corrective Action Sec | | | | Verific | ication | Approval | Approval | |
| DATE | STEP | | Initial Chief Eng | Action Description Chief Eng | | Sign & Date | Section C | | Chief Eng | QC Inspector | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| Dail Ae | rospace L | lu | | | | | | | |
|----------|-----------|-------------------|----------------------|------------------------------|----------------|-------------------------------------|--------------------------|--------------------------|--|
| W/O: | | | WC | ORK ORDER CHANG | ES | | | | |
| DATE | STEP | PR | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Part No | : | PAR #: | Fault Cate | gory: | _ NCR: Yes | No DQ | A: | Date: _ | |
| | | | | | QA: N | /C Closed | d: | Date: _ | |
| NCR: | | | WORK ORD | ER NON-CONFORMA | NCE (NCR |) | | | |
| <u>.</u> | | Description of NC | | on B | Verific | | Annroval | Approval QC Inspector | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section | | | |
| | | | | | | | | | |
| | | | | | | | ! | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |




| DESIGN BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | | |
|--------------|----------|--|--------------|----|
| CHECKED | APPROVED | DRAWING NO. D2512 SHEET | REV. 4 OF | - |
| DATE | | TITLE | SCA | LE |
| 01.04.19 | ···· | BASKET LID ASSEMBLY (350/212) | 1 | :8 |




DRILL 3/8 HOLE AND INSTALL D2327-1 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

SECTION C-C SIMILIAR BOTH END RIBS



DETAIL



SECTION D-D SAME BOTH CENTER RIBS

SHOP COPY RETURN TO

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| W/O: | | WORK ORDER CHANGES | | | | | | | | | | |
|-----------|------|--------------------------|----------------------|------------------------------|----------------|------------------------|----------|-------------------------------------|--------------------------|--|--|--|
| DATE STEP | | PROCEDURE CHANGE | | | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Part No | : | PAR #: Fault Category: N | | | | NCR: Yes No DQA: Date: | | | | | | |
| | | | | | QA: N | /C Closed | d: | Date: _ | | | | |
| NCR: | | • | WORK ORDI | ER NON-CONFORMA | NCE (NCR | () | | | | | | |
| D.4.7.F | STEP | Description of NC | | n B | Verification | | Approval | Approval | | | | |
| DATE | | TEP Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section | | Chief Eng | QC Inspector | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | 1 | I . | t I | | | 1 | | 1 | | | | |